

Additional shelf extenders prevent products from falling over

Designed specifically for seamless under-bench installation

Adjustable shelving for flexibility in display configuration

Side-mounted slide-out refrigeration maximises storage height and simplifies maintenance (selected models only)



Castors (front lockable) make movement and placement easy

Curved internal corners simplify food-safe cleaning (stainless range only)

Stainless steel self-closing doors minimise temperature loss

High-impact LED lighting maximises product visibility and captures attention

Precise Dixell digital temperature controller for accurate temperature maintenance

Bromic's Bar Chillers & Freezers have been designed specifically for installation under an industry-standard bench and are available in one- to four-door configurations.

33. Back Bar Display Chillers

Bromic's Back Bar Chillers are the perfect freestanding refrigerated display solution for those seeking versatility and reliability.

High-impact LED lighting highlights products through this unit's hinged or sliding double-glazed safety glass doors while powerful fan-forced refrigeration enables rapid cooling.



35. Fan-Forced Underbench Display & Storage Chillers & Freezers

Bromic's Fan-Forced Underbench Chillers and Freezers are premium performers, developed specifically to withstand heavy use in the hospitality industry and to slot seamlessly underneath a industry-standard bench.

Featuring powerful fan-forced cooling, these units are capable of storing sensitive stock, such as meat, dairy or fresh produce, alongside beverages while also utilising Gastronorm 1/1 sizing to offer versatility in high-volume applications.

Display Chiller:



Storage Chiller:



Storage Freezer:



38. Single Door Underbench Display & Storage Chillers & Freezers

Bromic's Single Door Underbench Chillers and Freezers offer versatile storage solutions across a wide temperature range.

This unit's insulated stainless steel structure and Dixell digital temperature controller allow the refrigeration system to reliably cool practically any product while achieving exceptional energy efficiency.

Display Chiller:



Storage Chiller:



Storage Freezer:



39. Specification Reference Guide


Bar Chillers & Freezers

Back Bar Glass Door Display Chillers (Hinged)



Handle
Top to
Bottom

Full length door handle:



BB0120GD

1 YEAR
Warranty
LABOUR
& PARTS


Back Bar Glass Door Display Chiller 118L (Hinged)

Part No. 3736063 Capacity 118L Weight 58kg

	External (mm)	Internal (mm)
Width	555	520
Depth	520	385
Height	870	820

- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C
- Unit can be mounted high & door can still be opened
- Full length door handle
- Door cannot be reversed

Handle
Top to
Bottom



BB0200GD

1 YEAR
Warranty
LABOUR
& PARTS


Back Bar Glass Door Display Chiller 190L (Hinged)

Part No. 3736064 Capacity 190L Weight 72kg

	External (mm)	Internal (mm)
Width	865	820
Depth	520	385
Height	870	820

- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C
- Unit can be mounted high & door can still be opened

Handle
Top to
Bottom



BB0330GD

1 YEAR
Warranty
LABOUR
& PARTS

Back Bar Glass Door Display Chiller 307L (Hinged)

Part No. 3736065 Capacity 307L Weight 90kg

	External (mm)	Internal (mm)
Width	1350	1270
Depth	520	385
Height	870	820

- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C
- Unit can be mounted high & door can still be opened

FF


FF

FF

Bar Chillers & Freezers 33

Bar Chillers & Freezers

Back Bar Glass Door Storage Chillers (Sliding Door)



BB0200GDS




Back Bar Display Chiller 190L (Sliding Door)

Part No.	Capacity	Weight
3736058	190L	72kg

	External (mm)	Internal (mm)
Width	865	820
Depth	520	385
Height	870	820

- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C

FF



BB0330GDS



Back Bar Display Chiller 307L (Sliding Door)

Part No.	Capacity	Weight
3736059	307L	90kg


	External (mm)	Internal (mm)
Width	1350	1270
Depth	520	385
Height	870	820

- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C

FF

Bar Chillers & Freezers

Underbench Glass Door Display Chillers



* Electrical Cord is 2.5m

UBC1360GD




Underbench Glass Door Display Chiller 282L LED

Part No.	Capacity	Weight
3735213	282L	113kg

	External (mm)	Internal (mm)
Width	1360	902
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C

FF



UBC1795GD




Underbench Glass Door Display Chiller 417L LED

Part No.	Capacity	Weight
3735211	417L	151kg

	External (mm)	Internal (mm)
Width	1795	1337
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C

FF



UBC2230GD



Underbench Glass Door Display Chiller 553L LED

Part No.	Capacity	Weight
3735212	553L	173kg

	External (mm)	Internal (mm)
Width	2230	1772
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C


FF

Bar Chillers & Freezers

Underbench Storage Chillers



FF



UBC1360SD




Underbench Storage Chiller 282L

Part No.	Capacity	Weight
3735204	282L	113kg
	External (mm)	Internal (mm)
Height	850	589
Width	1360	902
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF



UBC1795SD




Underbench Storage Chiller 417L

Part No.	Capacity	Weight
3735206	417L	151kg
	External (mm)	Internal (mm)
Width	1795	1337
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF



UBC2230SD




Underbench Storage Chiller 553L

Part No.	Capacity	Weight
3735209	553L	173kg
	External (mm)	Internal (mm)
Width	2230	1772
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C

Bar Chillers & Freezers

Underbench Storage Freezers



UBF1360SD

NEW
2 YEAR
Warranty
LABOUR
& PARTS


Underbench Storage Freezer 282L

Part No.	Capacity	Weight
3736230	282L	98kg

	External (mm)	Internal (mm)
Width	1360	902
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: -22°C to -18°C

FF



UBF1795SD

NEW
2 YEAR
Warranty
LABOUR
& PARTS


Underbench Storage Freezer 417L

Part No.	Capacity	Weight
3736231	417L	134kg

	External (mm)	Internal (mm)
Width	1795	1337
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: -22°C to -18°C

FF



UBF2230SD

NEW
2 YEAR
Warranty
LABOUR
& PARTS

Underbench Storage Freezer 553L

Part No.	Capacity	Weight
3736232	553L	153kg

	External (mm)	Internal (mm)
Width	2230	1772
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: -22°C to -18°C


FF

Bar Chillers & Freezers

Underbench Glass Door & Storage Chillers & Freezer



Full Stainless Steel Exterior



UBC0140GD



Underbench Display Chiller 145L

Part No.	Capacity	Weight
3736212	145L	38kg


- Easily stackable with other Bromic single door units
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 adjustable shelves + base
- Stainless steel top and door frame
- Temperature range: +1°C to +10°C

	External (mm)	Internal (mm)
Height	820	680
Width	595	490
Depth	595	400

FF



Full Stainless Steel Exterior



UBC0140SD



Underbench Storage Chiller 145L

Part No.	Capacity	Weight
3736208	145L	38kg


- Easily stackable with other Bromic single door units
- Reversible hinge for flexible installation options
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 adjustable shelves
- Stainless steel top and door frame
- Temperature range: +1°C to +10°C

	External (mm)	Internal (mm)
Width	595	490
Depth	595	400
Height	820	680

FF



Full Stainless Steel Exterior



UBFO140SD



Underbench Storage Freezer 115L

Part No.	Capacity	Weight
3736209	115L	38kg

- Easily stackable with other Bromic single door units
- Reversible hinge for flexible installation options
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 baskets with static cooling inbetween
- Stainless steel top and door frame
- Temperature range: -24°C to -16°C

	External (mm)	Internal (mm)
Width	595	490
Depth	595	400
Height	820	680

FF

Bar Chillers & Freezers

Specification Reference Guide

Chiller

Freezer

Model	BB0120GD	BB0200GD	BB0330GD	BB0200GDS	BB0330GDS
Part Number	3736063	3736064	3736065	3736058	3736059
Ext. Width (mm)*	555	865	1350	865	1350
Ext. Depth (mm)*	520	520	520	520	520
Ext. Height (mm)*	870	870	870	870	870
Capacity	118L	190L	307L	190L	307L
Temp. Range	+1 to +10°C	+1 to +10°C	+1 to +10°C	+1 to +10°C	+1 to +10°C
Max. Ambient Temp.	38°C	38°C	38°C	38°C	38°C
Refrigeration Power	182W	213W	408W	213W	408W
Current	0.95A	1.2A	2.1A	1.2A	2.1A
Gross Weight	58kg	72kg	90kg	72kg	90kg
Refrigerant	R134a	R134a	R134a	R134a	R134a
Plug Supplied	1	1	1	1	1
Power Supply	10A	10A	10A	10A	10A
Features					
Chiller Case	✓	✓	✓	✓	✓
Freezer Case					
Main Light	LED	LED	LED	LED	LED
Number of Doors	1	2	3	2	3
Door Type	Hinged	Hinged	Hinged	Sliding	Sliding
Safety Glass	✓	✓	✓	✓	✓
Door Lock	✓	✓	✓	✓	✓
Temp. Controller	Digital	Digital	Digital	Digital	Digital
Feet / Castors	✓	✓	✓	✓	✓
No. of Shelves Incl. Base	3	3	3	3	3
Narrow-Gauge Shelving	✓	✓	✓	✓	✓
Colour	Black	Black	Black	Black	Black
Warranty					
Parts (Years)	1	1	1	1	1
Labour (Years)	1	1	1	1	1

*Dimensions exclude lightbox & handle protrusions

Bar Chillers & Freezers

Specification Reference Guide

Chiller

Freezer

Model	UBC1360GD	UBC1795GD	UBC2230GD	UBC1360SD	UBC1795SD	UBC2230SD
Part Number	3735213	3735211	3735212	3735204	3735206	3735209
Ext. Width (mm)*	1360	1795	2230	1360	1795	2230
Ext. Depth (mm)*	700	700	700	700	700	700
Ext. Height (mm)*	850	850	850	850	850	850
Capacity	282L	417L	553L	282L	417L	553L
Temp. Range	+2 to +8°C	+2 to +8°C	+2 to +8°C	+2 to +8°C	+2 to +8°C	+2 to +8°C
Max. Ambient Temp.	32°C	32°C	32°C	38°C	38°C	38°C
Refrigeration Power	245W	245W	345W	235W	235W	335W
Current	2.2A	2.5A	2.8A	2.2A	2.5A	2.8A
Gross Weight	122kg	151kg	180kg	110kg	142kg	173kg
Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a
Plug Supplied	1	1	1	1	1	1
Power Supply	10A	10A	10A	10A	10A	10A
Features						
Chiller Case	✓	✓	✓	✓	✓	✓
Freezer Case						
Main Light	LED	LED	LED			
Number of Doors	2	3	4	2	3	4
Door Type	Hinged	Hinged	Hinged	Hinged	Hinged	Hinged
Safety Glass	✓	✓	✓			
Door Lock						
Temp. Controller	Digital	Digital	Digital	Digital	Digital	Digital
Feet / Castors	✓	✓	✓	✓	✓	✓
No. of Shelves Incl. Base	3x2	3x3	3x4	3x2	3x3	3x4
Narrow-Gauge Shelving	✓	✓	✓	✓	✓	✓
Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Warranty						
Parts (Years)	2	2	2	2	2	2
Labour (Years)	2	2	2	2	2	2




*Dimensions exclude lightbox & handle protrusions

Bar Chillers & Freezers

Specification Reference Guide

Chiller

Freezer

Model	UBF1360SD 	UBF1795SD 	UBF2230SD 
Part Number	3736230	3736231	3736232
Ext. Width (mm)*	1360	1795	2230
Ext. Depth (mm)*	700	700	700
Ext. Height (mm)*	850	850	850
Capacity	282L	417L	553L
Temp. Range	-22 to -18°C	-22 to -18°C	-22 to -18°C
Max. Ambient Temp.	32°C	32°C	32°C
Refrigeration Power	774W	774W	774W
Current	3.8A	3.8A	3.8A
Gross Weight	109kg	140kg	155kg
Refrigerant	R404a	R404a	R404a
Plug Supplied	1	1	1
Power Supply	10A	10A	10A
Features			
Chiller Case			
Freezer Case	✓	✓	✓
Main Light			
Number of Doors	2	3	4
Door Type	Hinged	Hinged	Hinged
Safety Glass			
Door Lock			
Temp. Controller	Digital	Digital	Digital
Feet / Castors	✓	✓	✓
No. of Shelves Incl. Base	3 x 2	3 x 3	3 x 4
Narrow-Gauge Shelving	✓	✓	✓
Colour	Stainless Steel	Stainless Steel	Stainless Steel
Warranty			
Parts (Years)	2	2	2
Labour (Years)	2	2	2

*Dimensions exclude lightbox & handle protrusions

These units are classified as storage cabinets and designed for holding foodstuffs which require some preparation or processing before sale

Bar Chillers & Freezers

Specification Reference Guide

Chiller

Freezer

Model	UBC0140GD	UBC0140SD	UBF0140SD
Part Number	3736212	3736208	3736209
Ext. Width (mm)*	595	595	595
Ext. Depth (mm)*	595	595	595
Ext. Height (mm)*	820	820	820
Capacity	145L	145L	115L
Temp. Range	+1 to +10°C	+1 to +10°C	-24 to -16°C
Max. Ambient Temp.	32°C	32°C	32°C
Refrigeration Power	150W	150W	130W
Current	1.2A	1.2A	1.2A
Gross Weight	41kg	38kg	41kg
Refrigerant	R134a	R134a	R134a
Plug Supplied	1	1	1
Power Supply	10A	10A	10A
Features			
Chiller Case	✓	✓	
Freezer Case			✓
Main Light	LED		
Number of Doors	1	1	1
Door Type	Hinged (S/Steel)	Hinged (S/Steel)	Hinged (S/Steel)
Safety Glass	✓		
Door Lock	✓	✓	✓
Temp. Controller	Digital	Digital	Digital
Feet / Castors	✓	✓	✓
No. of Shelves Incl. Base	4	4	3 Baskets
Narrow-Gauge Shelving	✓	✓	
Colour	Stainless Steel	Stainless Steel	Stainless Steel
Warranty			
Parts (Years)	1	1	1
Labour (Years)	1	1	1

*Dimensions exclude lightbox & handle protrusions

These units are classified as storage cabinets and designed for holding foodstuffs which require some preparation or processing before sale